

PCTWORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : C11D 9/22, 9/26, 10/04, 13/10, 9/24		A1	(11) International Publication Number: WO 99/11748 (43) International Publication Date: 11 March 1999 (11.03.99)
(21) International Application Number: PCT/EP98/05001 (22) International Filing Date: 23 July 1998 (23.07.98) (30) Priority Data: 9718235.6 28 August 1997 (28.08.97) GB (71) Applicant (for AU BB CA CY GB GH GM IE IL KE LC LK LS MN MW NZ SD SG SL SZ TT UG ZW only): UNILEVER PLC [GB/GB]; Unilever, Blackfriars, London EC4P 4BQ (GB). (71) Applicant (for all designated States except AU BB CA CY GB GH GM IE IL KE LC LK LS MN MW NZ SD SG SL SZ TT UG ZW): UNILEVER N.V. [NL/NL]; Weena 455, NL-3013 AL Rotterdam (NL). (72) Inventors: CHAMBERS, John, George; Unilever Research Port Sunlight, Quarry Road East, Bebington, Wirral, Merseyside L63 3JW (GB). IRLAM, Geoffrey; Unilever Research Port Sunlight, Quarry Road East, Bebington, Wirral, Merseyside L63 3JW (GB). JOY, Bryan, Stuart; Unilever Research Port Sunlight, Quarry Road East, Bebington, Wirral, Merseyside L63 3JW (GB).		(74) Agent: ELLIOTT, Peter, William; Unilever plc, Patent Division, Colworth House, Sharnbrook, Bedford MK44 1LQ (GB). (81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, HR, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published <i>With international search report.</i>	
(54) Title: SOAP BARS (57) Abstract A soap bar comprises 40–85 % soap, 1–40 % water immiscible benefit agent, 1–40 % solid water soluble carrier and 5–25 % water. The carrier is initially mixed with the benefit agent to form a premix which is subsequently dispersed into the soap. Suitable benefit agents are oils and humectants whereas suitable carriers are starches, modified starches and water soluble solid polymers.			

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

- 1 -

SOAP BARS

The invention relates generally to soap bars, and in particular to a process for producing soap bars comprising a benefit agent.

Toilet soap is the major product used for personal washing world-wide. Although the fat charge used to make such products varies enormously, the in-use properties vary little, apart from the amount of lather.

The bar sensory properties, i.e. lather quality and after-wash wet-skin feel, are totally unaffected by the fat charge. One of the main aims in recent years has been to find routes to modify bar sensory properties, especially the interaction of the product with skin. This aim is linked directly to consumer requirements for novel experiences from a bar product.

Early attempts in this direction relied upon addition of fatty acids to soaps which led to a modified lather creaminess, but provided no affect on the after-wash wet-skin feel. More recently some success has been had by addition of synthetic actives which because of their lime-soap dispersant action tend to modify the interaction of precipitated calcium and magnesium soaps with skin, and thereby modify the wet-skin feel of the product. This approach, although successful, does impose significant changes on fat charge in order to maintain acceptable bar processing and properties in the presence of high solubility synthetic actives.

A break-through in sensory delivery from toilet soaps would be one or more additives which could be incorporated into existing toilet soaps formulations using existing equipment,

- 2 -

without the need for any modification in fat charge. This would enable such products to be processed at similar through-puts to conventional toilet soaps and, because of the use of identical fat charge, no disruption in wet soap
5 manufacture in factories. Changing fat charge is a major issue in continuous soap manufacture, due to the fact that process control is extremely fat charge sensitive.

One approach which has been intensely studied by a number of
10 workers is to incorporate an oil into the soap base. This has led to claims of a modicum of success but does have several drawbacks, i.e.-

- i. the soap mass becomes sticky and difficult to process
15 due to oil coating soap and equipment; typical problems include poor feed into mills, low extrusion rates and die block.
- ii. the finished product has a sticky feel and requires
20 additional packaging to avoid contamination/leakage of oil into pack.
- iii. the size of oil droplets in the product is extremely
25 process sensitive, hence manufacture must be carefully controlled, i.e. reduced throughput is often necessary.

In general, this type of product can deliver sensory benefits but because of the aforementioned problems, it has not been commercially feasible.

30

It is an object of the invention to provide an improved process for making soap bars which overcomes at least some of the above problems.

- 3 -

We have discovered that incorporation of specific benefit agents into water soluble carriers can substantially correct or improve on all of the aforementioned process problems, and can lead to the production of bars at similar

5 throughputs to conventional toilet soaps which have finishes comparable to conventional toilet soaps. In addition these products deliver modified lather and wet-skin feel sensory properties without any detrimental effects on general bar in-use properties such as amount of lather, wear-rate and
10 mush.

The basis of this invention is that the benefit agent is first pre-blended into a solid carrier matrix so that its domain size is fixed, and constant throughout the process
15 regime. This ensures that process effects on oil-droplet size are minimised, and hence ensures consistent delivery of sensory properties independent of process variation. Additionally, for benefit agents which can be solubilised by soap, (e.g. vegetable oils) the carrier effectively removes
20 oil-migration through the product, and hence removes the risk of oil-solubilisation, since the oil is prevented from mixing with liquid material in the bar.

The carrier is selected from materials which are water
25 soluble, and so dissolve to release the benefit agent during the washing process. We have also found that the delivery of sensory effects on wet-skin feel are significantly enhanced if the carrier dissolves via a viscous solution state, i.e. the carrier dissolves producing an initial
30 substantial increase in viscosity (e.g. initial stages of polymer hydration). This viscous state during which benefit agent is released is key to delivery of a sensory effect to modify after-wash wet-skin feel. Typically carriers which meet this criteria have viscosities of a 60% carrier/water

- 4 -

solution in excess of 1000 cps measured at a shear rate of 10s^{-1} at 20 degrees Celsius.

The soap of the current invention is typically comprised of
5 non-lauric oils and lauric oils, ideally in a blend ratio of
95/5 to 10/90. Typical non-lauric oils include tallow,
palm, tallow stearines, palm stearines, partially hardened
vegetable oils and mixtures of these with partially or fully
hardened oils. Typical lauric oils include coconut, palm
10 kernel, and babassu oils. The soap base is generally
produced by saponification of the oil blend using an
appropriate alkali such as sodium, potassium, calcium and
magnesium alkalis or combinations thereof. The soap base so
made is ideally dried to a moisture content in the range 5-
15 25% prior to addition of carrier-benefit-agent premix, or
alternatively the carrier-benefit agent premix can be added
to the neat soap prior to drying.

The carrier ideally exists as a solid at ambient and process
20 conditions, hence its melting point preferably exceeds 80°C .
The carrier is ideally wholly water soluble, and will
ideally dissolve in water via a viscous liquid, where the
viscosity of a 60% carrier/water solution is in excess of
1000 cps at a shear rate of 10s^{-1} at 20 Celsius. The viscous
25 liquid state can be achieved by for example formation of
liquid crystals or by molecular entanglement of long
molecules, (e.g. polymers).

Examples of carriers which meet these requirements are
30 maltodextrins, starches, modified starches, PVP's, PVA's,
and cellulosic polymers, however other carriers which meet
the above mentioned physical requirements are envisaged.

- 5 -

Preferred properties of the benefit agents are as follows. Firstly they should preferably be liquids at typical ambient wash-temperatures and process-temperatures, i.e. they should have a freezing point less than 30°C. Secondly, they should be essentially free of water to avoid dissolution of the carrier in the bar product, prior to washing with the product. Thirdly they should have a low viscosity, i.e. less than 60,000 cps, more preferably less than 30,000 cps. Fourthly they should ideally be immiscible with water.

10

Examples of benefit agents which meet these requirements are low viscosity silicone oils, vegetable oils, mineral oils, synthetic oils, (e.g. IPM, IPP), and mixtures thereof.

15 The benefit agent can be an "emollient oil", by which is meant a substance which softens the skin (stratum corneum) by increasing its water content, and keeping it soft by retarding decrease of water content.

20 Preferred emollients include:

- (a) silicone oils, gums and modifications thereof such as linear and cyclic polydimethylsiloxanes; amino, alkyl alkylaryl and aryl silicone oils;
- 25 (b) fats and oils including natural fats and oils such as jojoba, soybean, rice bran, avocado, almond, olive, sesame, persic, castor, coconut, mink oils; cacao fat; lard; partially hardened oils obtained by hydrogenating the aforementioned oils; and
- 30 synthetic mono, di and triglycerides such as myristic acid glyceride and 2-ethylhexanoic acid glyceride;
- (c) waxes such as carnauba, spermaceti, lanolin and derivatives thereof;
- 35 (d) hydrophobic plant extracts;

- 6 -

- (e) hydrocarbons such as liquid paraffins, Vaseline (trade mark), microcrystalline wax, ceresin, squalene, pristan and mineral oil;
- 5 (f) higher fatty acids such as oleic, linoleic, linolenic, lanolic, isostearic and poly unsaturated fatty acids (PUFA);
- (g) higher alcohols such as lauryl, oleyl, cholesterol and 2-hexydecanol alcohol;
- 10 (h) esters such as cetyl octanoate, myristyl lactate, cetyl lactate, isopropyl myristate, myristyl myristate, isopropyl palmitate, isopropyl adipate, butyl stearate, decyl oleate, cholesterol isostearate, glycerol monostearate, glycerol distearate, glycerol tristearate, alkyl lactate, alkyl citrate and alkyl tartrate;
- 15 (i) essential oils such as mentha, jasmine, camphor, white cedar, bitter orange peel, ryu, turpentine, cinnamon, bergamot, citrus unshiu, calamus, pine, lavender, bay, clove, hiba, eucalyptus, lemon, starflower, thyme, peppermint, rose, sage, menthol, cineole, eugenol, citral, citronelle, borneol, linalool, geraniol, evening primrose, camphor, thymol, spirantol, penene, limonene and terpenoid oils;
- 20 (j) lipids such as ceramides, sucrose esters and pseudo-ceramides as described in European Patent Specification No. 556,957;
- (k) sunscreens such as octyl methoxyl cinnamate (Parsol MCX) and butyl methoxy benzoylmethane (Parsol 1789);
- 30 (l) phospholipids; and
- (m) mixtures of any of the foregoing components.

A particularly preferred benefit agent is silicone,
35 preferably silicones having viscosity less than about 60,000

- 7 -

centipoise. The silicone may be a gum and/or it may be a mixture of silicones. One example is polydimethylsiloxane having viscosity of about 60,000 centistokes.

- 5 The ratio of carrier to benefit agent is broadly between 1:4 and 4:1, preferably greater than or equal to 0.3:1, and more preferably greater than or equal to 0.75:1.

10 The invention will be more clearly understood from the following description of some examples thereof, given by way of example only.

Examples 1-5 below illustrate the invention where the carrier is a polyvinyl pyrrolidone, with a molecular weight
15 of 8.0×10^3 , and the benefit agent is selected from low viscosity silicone oils and sunflower oil. The ratio of carrier/benefit agent varies between 0.5:1 to 2:1. The manufacturing process is comprised of a pre-blending stage, where the carrier and benefit agent are mixed together in a
20 suitable soft-solid mixer, (e.g. ribbon mixer or Z-blade mixer) followed by mixing of this blend into dried soap, again using either a ribbon or z-blade mixer, followed by conventional toilet soap finishing procedures, (i.e. milling, plodding and stamping into bars).

- 8 -

		EXAMPLES				
		1	2	3	4	5
COMPONENT						
5	Tallow/CNO = 80/20					
	comprised of	77.0	74.5	74.5	74.5	74.5
	sodium soap					
	Polyvinyl pyrrolidone	2.5	5	5	5	5
	Silicone oil	5	5	-	-	-
10	(5000 cps)					
	Silicone oil	-	-	5	-	2.5
	(12500 cps)					
	Sunflower oil	-	-	-	5	-
	Perfume	1.5	1.5	1.5	1.5	1.5
15						
	Water and minors to 100%					

All of the formulations of examples 1-5 have acceptable in-use properties comparable to conventional toilet soap.

Moreover, sensory studies of formulations in Examples 1 and 4 showed both of these to have modified lather and wet-skin feel properties compared to conventional toilet soap.

The formulations of examples 6-10 below are included to further illustrate the lack of process effects of the carrier/ benefit agent combinations. In these examples, the total additive level ranges from 10-20% by weight on product, and covers three carrier materials types, i.e. Maltodextrin and two tapioca starch derivatives. The bars were in all cases processed according to the method described for Examples 1-6, and the billet hardnesses were found to be virtually independent of carrier/benefit agent level, and very similar to the hardness of conventional toilet soap.

- 9 -

		EXAMPLES				
		6	7	8	9	10
COMPONENT						
5	Tallow/CNO soap	74.5	69.5	64.5	69.5	69.5
	Maltodextrin (Grade)	5	10	15	-	-
	Natrosorb-B*	-	-	-	5	-
	Natrosorb-W*	-	-	-	-	5
	Silicone oil (500 cps)	5	5	5	10	10
10	Perfume	1.5	1.5	1.5	1.5	1.5

Water and minors to 100%

* These materials are tapioca starch derivatives, available
15 from National Starch.

Examples 11 to 14 below further illustrate the soap bar
formulations according to the invention.

20		EXAMPLES			
		11	12	13	14
	COMPONENT				
	80/20 tallow CNO soap	74.5	74.5	74.5	74.5
25	Maltodextrin	-	-	5	5
	PVP	5	5	-	-
	Isopropyl palmitate	5	-	5	-
	Mineral oil	-	5	-	5
	Perfume	1.5	1.5	1.5	1.5

30

Water and minors to 100%

In Examples 15-19 formulations were given of carrier-
benefit-agent systems which fall outside the scope of this
35 invention. In all cases, the manufacturing method is

- 10 -

identical to that used in the previous formulations of examples 1-10.

5 In Example 15 a water soluble benefit agent, glycerol, is incorporated at 1/1 ratio of carrier/benefit agent. Bars were produced of acceptable quality and hardness. In-use properties were found to be inferior to conventional toilet soap, with the formulation of the example having reduced lather amount. Sensory studies did not find any significant
10 differences in lather quality or wet-skin feel from conventional toilet soaps.

In example 16, a carrier which dissolves directly into a low viscosity aqueous solution was used along with a modified
15 soya bean oil. Bar production was found to be extremely difficult, due to billet cracking and poor bar cohesion. Bars produced were harder than conventional toilet soap and had poor surface finish. In-use properties of these products were found to be inferior to conventional toilet
20 soap, having high wear-rates and low lather amount. Sensory studies did not find any significant differences in lather quality or wet-skin feel from conventional toilet soap.

In examples 17 and 18 a benefit agent which is comprised of
25 a substantial amount of water, (ca 50%) was incorporated into a maltodextrin carrier. Manufacture was found to be extremely difficult, with the carrier-benefit agent pre-mix forming a viscous liquid which could not easily be mixed with the soap. Billets formed were softer and stickier than
30 conventional toilet soap, and could not be stamped without use of a die-lubricant. Overall the formulation was clearly not suitable for processing on a continuous basis.

- 11 -

		EXAMPLES			
		15	16	17	18
COMPONENT					
	80/20 tallow CNO soap	74.5	54.5	74.5	64.5
5	Maltodextrin	5	-	5	10
	PEG8000	-	20	-	-
	Glycerol	5	-	-	-
	Maleated soya-bean oil	-	10	-	-
	Sodium Lactate solution	-	-	5	10
10	Perfume	1.5	1.5	1.5	1.5
	Water and minors to 100%				

The invention is not limited to the examples and embodiments
hereinbefore described which may be varied in both process
15 step and detail without departing from the spirit of the
invention, whilst remaining within the scope of the claims.

- 12 -

CLAIMS

1. A process for producing a soap bar of the type
comprising soap and a skin benefit agent, the process
5 comprising the steps of:-
 - premixing a water immiscible benefit agent with a
solid water soluble carrier in a first mixing
step;
 - 10 - adding the premix to a soap mix to form a final
soap mix in a second mixing step; and
 - finishing the final soap mix to form a soap bar.
2. A process as claimed in claim 1 in which during a
15 washing step the carrier dissolves to release the skin
benefit agent.
3. A process as claimed in claims 1 or 2 in which the
carrier is selected from water soluble organic
20 materials having a melting point greater than or equal
to 30°C.
4. A process as claimed in any of claims 1 to 3 in which a
60% solution of carrier in water has a viscosity in
25 excess of 1000 cps when measured at a shear rate of
 10s^{-1} at 20°C.
5. A process as claimed in any preceding claim in which
the carrier is selected from the group comprising
30 starches, modified starches and water soluble solid
polymers.
6. A process as claimed in any preceding claims in which
the benefit agent is selected from oils and humectants.

35

- 13 -

7. A process as claimed in claim 6 in which the oil benefit agent is selected from silicone oils, natural triglyceride oils, mineral oils, synthetic oils, either in modified or non-modified forms.
- 5
8. A process as claimed in any preceding claim in which the ratio of carrier to benefit agent is between 1:4 and 4:1.
- 10 9. A process as claimed in any preceding claim in which during the second mixing step, the premix is added to neat soap prior to drying.
- 15 10. A process as claimed in any of claims 1 to 8 in which during the second mixing step, the premix is added to dried soap chips or the like.
- 20 11. A soap bar formed by a process according to any preceding claim.
12. A soap bar according to claim 11 comprising 40-85% soap, 1-40% carrier, 1-40% benefit agent, and 5-25% water.
- 25 13. A soap bar as claimed in claims 11 or 12 in which the soap is partially or wholly replaced by one or more of synthetic anionic surfactants, amphoteric surfactants or non-ionic surfactants or mixtures thereof.
- 30 14. A soap bar as claimed in any of claims 11 to 13 further including minor ingredients such as perfume and colorants.

- 14 -

15. A soap bar comprising:-

- 40-85% soap;
- 1-40% solid water soluble carrier;
- 5 - 1-40% water immiscible skin benefit agent; and
- 5-25% water

10 wherein the benefit agent is premixed with the carrier
to form a benefit agent premix, and wherein the benefit
agent premix is dispersed in the soap by mixing the
premix with either neat soap prior to drying or to
dried soap chips.

INTERNATIONAL SEARCH REPORT

Inter: 1st Application No
PCT/EP 98/05001

A. CLASSIFICATION OF SUBJECT MATTER IPC 6 C11D9/22 C11D9/26 C11D10/04 C11D13/10 C11D9/24		
According to International Patent Classification (IPC) or to both national classification and IPC		
B. FIELDS SEARCHED Minimum documentation searched (classification system followed by classification symbols) IPC 6 C11D		
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched		
Electronic data base consulted during the international search (name of data base and, where practical, search terms used)		
C. DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X A	WO 92 08444 A (PROCTER & GAMBLE) 29 May 1992 see page 20, line 25 - page 21, line 11; example 1 ---	1,2,5-8, 11,13 3,5,9, 10,12, 14,15
X A	WO 96 29388 A (UNILEVER) 26 September 1996 see claim 1; example 1 ---	11,13,14 1-8,12, 15
X A	US 4 941 990 A (MCLAUGHLIN JAMES H) 17 July 1990 see example 19 ---	11,13,14 12,15
P,X	US 5 770 556 A (RATTINGER GAIL BETH ET AL) 23 June 1998 see claims 1,11; example 1 --- -/--	1-3,5-11
<div style="display: flex; justify-content: space-between;"> <input checked="" type="checkbox"/> Further documents are listed in the continuation of box C. <input checked="" type="checkbox"/> Patent family members are listed in annex. </div>		
<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <p>* Special categories of cited documents :</p> <p>"A" document defining the general state of the art which is not considered to be of particular relevance</p> <p>"E" earlier document but published on or after the international filing date</p> <p>"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)</p> <p>"O" document referring to an oral disclosure, use, exhibition or other means</p> <p>"P" document published prior to the international filing date but later than the priority date claimed</p> </div> <div style="width: 45%;"> <p>"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention</p> <p>"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone</p> <p>"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.</p> <p>"&" document member of the same patent family</p> </div> </div>		
Date of the actual completion of the international search <div style="text-align: center; font-weight: bold;">11 November 1998</div>		Date of mailing of the international search report <div style="text-align: center; font-weight: bold;">25/11/1998</div>
Name and mailing address of the ISA European Patent Office, P.B. 5818 Patentaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016		Authorized officer <div style="text-align: center; font-weight: bold;">Saunders, T</div>

INTERNATIONAL SEARCH REPORT

Inter. Patent Application No
PCT/EP 98/05001

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
P,X	WO 97 47722 A (UNILEVER) 18 December 1997 see page 14, line 8 - line 12; claim 1; table 2 ---	11-14
P,X	WO 97 40131 A (UNILEVER) 30 October 1997 see abstract; table 2 ---	11,13,14
A	EP 0 203 750 A (PROCTER & GAMBLE) 3 December 1986 see page 10, line 26 - line 28; table 5 ---	11-15
A	DATABASE WPI Section Ch, Week 8905 Derwent Publications Ltd., London, GB; Class A97, AN 89-037308 XP002083618 & JP 63 312400 A (LION CORP) , 20 December 1988 see abstract -----	1,5,8, 10-12,15

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/EP 98/05001

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9208444 A	29-05-1992	US 5154849 A AT 141155 T AU 9085291 A CA 2095023 A CN 1062373 A,B DE 69121416 D DE 69121416 T DK 557423 T EG 19614 A EP 0557423 A ES 2090592 T FI 932200 A GR 3020816 T JP 6502646 T MX 9102073 A,B NZ 240610 A PT 99531 A	13-10-1992 15-08-1996 11-06-1992 17-05-1992 01-07-1992 19-09-1996 20-02-1997 09-12-1996 30-08-1995 01-09-1993 16-10-1996 14-05-1993 30-11-1996 24-03-1994 01-06-1992 27-04-1994 30-10-1992
WO 9629388 A	26-09-1996	US 5520840 A AU 5101796 A BR 9607635 A CA 2212871 A CZ 9702950 A EP 0819165 A PL 322448 A SK 127997 A	28-05-1996 08-10-1996 26-05-1998 26-09-1996 13-05-1998 21-01-1998 02-02-1998 04-02-1998
US 4941990 A	17-07-1990	US 4808322 A AU 3296989 A EP 0409856 A WO 8908444 A	28-02-1989 05-10-1989 30-01-1991 21-09-1989
US 5770556 A	23-06-1998	WO 9842814 A	01-10-1998
WO 9747722 A	18-12-1997	US 5786312 A AU 2960797 A	28-07-1998 07-01-1998
WO 9740131 A	30-10-1997	AU 2023797 A	12-11-1997
EP 0203750 A	03-12-1986	US 4673525 A	16-06-1987

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/EP 98/05001

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP 0203750 A		AU 601362 B	13-09-1990
		AU 5734686 A	20-11-1986
		AU 645257 B	13-01-1994
		AU 5771090 A	18-10-1990
		CA 1331550 A	23-08-1994
		DK 221386 A,B,	14-11-1986
		FI 861972 A,B,	14-11-1986
		GB 2175005 A,B	19-11-1986
		GR 861241 A	27-08-1986
		HK 60492 A	21-08-1992
		IE 58665 B	03-11-1993
		JP 2555025 B	20-11-1996
		JP 62025199 A	03-02-1987
		KR 9406319 B	16-07-1994
		US 4812253 A	14-03-1989
		US 5096608 A	17-03-1992
		US 5076953 A	31-12-1991